

Day: Tuesday Date: 6/26/2007

Time: 17:30:04

Inventor Name Search Result

Your Search was:

 $Last\ Name = BURG$

First Name = JOHN

| Application# | Patent# | Status | Date Filed | Title | Inventor Name |
|-----------------|---------------|--------|------------|---|----------------------|
| 07204420 | Not Issued | 161 | 06/09/1988 | REGISTRY DEVICE | BURG, JOHN B. |
| 07611203 | Not Issued | 161 | 11/06/1990 | COVER PREFORMS WITH IMAGES AND METHOD OF PREPARATION | BURG, JOHN B. |
| 07656256 | Not Issued | 161 | 02/12/1991 | REGISTRY DEVICE | BURG, JOHN B. |
| 10715258 | 7073302 | 150 | 11/17/2003 | WALL AND PARTITION CONSTRUCTION AND METHOD USING HAT- CHANNEL MEMBERS | BURG, JOHN PARKER |
| <u>10798095</u> | Not Issued | 30 | 03/11/2004 | Wall and partition construction and method including a laterally adjustable flanged stud | BURG, JOHN PARKER |
| 11060134 | Not Issued | 30 | 02/17/2005 | Acoustic wall using compressed fiber panels | BURG, JOHN PARKER |
| 11060709 | Not Issued | 30 | 02/17/2005 | Wall and ceiling construction and method providing a finished construction with no exterior penetrations | BURG, JOHN PARKER |
| 11060723 | Not Issued | 41 | 02/17/2005 | Interior wall and ceiling construction and method adapted for use with conventional stud frame structures | BURG, JOHN PARKER |
| 60291883 | Not Issued | 159 | | Method and apparatus for work station fixture return | BURG, JOHN R. |
| 10137150 | 6574114 | 150 | | LOW CONTACT FORCE, DUAL FRACTION PARTICULATE INTERCONNECT | BURG, JOHN S. |
| 07151316 | Not Issued | 164 | 02/01/1988 | OVERMOLDED ELECTRICAL CONTACT FOR THE MANUFACTURE OF CONNECTORS | BURG, JOHN S. |

| 07261983 | 4865562 | 150 | 10/24/1988 | OVERMOLDED ELECTRICAL CONTACT FOR THE MANUFACTURE OF CONNECTORS | BURG, JOHN S. |
|---------------|---------------|-----|------------|--|-----------------|
| 08552004 | Not Issued | 161 | 11/02/1995 | BALL GRID ARRAY INTEGRATED CIRCUIT SOCKET | BURG, JOHN S. |
| 08228762 | Not Issued | 166 | 04/18/1994 | METHOD AND APPARATUS FOR DISPLAYING PROPORTIONALLY COMPRESSED CHARACTERS ON A DOT MATRIX DISPLAY | BURGAN, JOHN |
| 08400296 | Not Issued | 163 | 03/06/1995 | METHOD AND APPARATUS FOR DISPLAYING PROPORTIONALLY COMPRESSED CHARACTERS ON A DOT MATRIX DISPLAY | BURGAN, JOHN |
| 08768761 · | 6169802 | 150 | 12/17/1996 | DYNAMIC PRIVATE KEY SECURITY SYSTEM FOR PERSONAL MESSAGING DEVICES | BURGAN, JOHN |
| 09487578 | Not Issued | 161 | 01/19/2000 | Detecting a block of characters displayed on a visual display device | BURGAN, JOHN |
| 09086628 | 6400821 | 150 | 05/29/1998 | DIGITAL TONE GENERATOR | BURGAN, JOHN M |
| 09650411 | 6445790 | 150 | 08/29/2000 | DIGITAL TONE GENERATOR | BURGAN, JOHN M. |
| 09692072 | 6704566 | 150 | 11 | COMMUNICATION DEVICE FOR PLACING CALLS WITHIN A PLURALITY OF WIRELESS COMMUNICATION NETWORKS | BURGAN, JOHN M. |
| 09944615 | Not Issued | 161 | 08/31/2001 | Messaging system providing message redundancy reduction | BURGAN, JOHN M. |
| 09944871 | 6675022 | 150 | 08/31/2001 | METHOD AND APPARATUS FOR PROVIDING LOCALIZED INFORMATION TO A COMMUNICATION DEVICE IN A WIDE AREA COMMUNICATION SYSTEM | BURGAN, JOHN M. |
| 09963973 | 6459892 | | 09/26/2001 | METHOD FOR PROCESSING CHAT MESSAGES IN A WIRELESS CHAT DEVICE | BURGAN, JOHN M. |
| 10025895 | 6668169 | 150 | 12/19/2001 | METHOD FOR COMMUNICATING WITHIN A | BURGAN, JOHN M. |

| | | | · | • | |
|-----------------|---------------|-----|------------|--|-----------------|
| | | | | CHAT TOPIC IN A WIRELESS COMMUNICATION SYSTEM | |
| 10369985 | 6778457 | 150 | 02/19/2003 | VARIABLE REFRESH CONTROL FOR A MEMORY | BURGAN, JOHN M. |
| 10370011 | 6781908 | 150 | 02/19/2003 | MEMORY HAVING VARIABLE REFRESH CÖNTROL AND METHOD THEREFOR | BURGAN, JOHN M. |
| 10719574 | 6965776 | 150 | 11/21/2003 | PORTABLE COMMUNICATION DEVICE AND NETWORK AND METHODS THEREFORE | BURGAN, JOHN M. |
| 10878956 | 6862240 | 150 | 06/28/2004 | VARIABLE REFRESH CONTROL FOR A MEMORY | BURGAN, JOHN M. |
| 10886340 | Not Issued | 30 | 07/07/2004 | Memory having variable refresh control and method therefor | BURGAN, JOHN M. |
| 11026894 | Not Issued | 61 | 12/30/2004 | Communication device and method for using speaker as a stud finder | BURGAN, JOHN M. |
| 11167886 | Not Issued | 93 | 06/27/2005 | METHOD AND APPARATUS FOR REMINDING A USER OF AN UNATTENDED DEVICE IN A VEHICLE | BURGAN, JOHN M. |
| 11224251 | Not Issued | 30 | 09/12/2005 | Speaker voice coil antenna | BURGAN, JOHN M. |
| 11263162 | Not Issued | 30 | 10/31/2005 | Method and system for forwarding calls to a secondary wireless network using a multi-protocol wireless device | BURGAN, JOHN M. |
| 11271407 | Not Issued | 30 | II I | Incentive driven subscriber assisted spam reduction | BURGAN, JOHN M. |
| 11289104 | Not Issued | 25. | | Portable electronic device and method to protect same | BURGAN, JOHN M. |
| 11296613 | Not Issued | 30 | II I | Method and system for selectively decoding audio files in an electronic device | BURGAN, JOHN M. |
| 11301615 | Not Issued | 25 | 12/13/2005 | Anti-detonation device and method | BURGAN, JOHN M. |
| 11315073 | Not Issued | 30 | 12/22/2005 | Method of hibernating and pre- booting a mobile communication device to reduce apparent start up time | BURGAN, JOHN M. |
| <u>11323527</u> | Not Issued | 30 | 12/30/2005 | Method and mobile communication device for characterizing an audio accessory for use with the mobile | BURGAN, JOHN M. |

| | | 1 | | communication device | |
|----------|---------------|------|------------|--|-----------------|
| 11466606 | Not Issued | 25 | 08/23/2006 | METHOD AND SYSTEM FOR HAND-OFF BASED ON NETWORK LOAD | BURGAN, JOHN M. |
| 11467907 | Not Issued | 30 | 08/28/2006 | RF POWER CONTROL USING PROXIMITY SENSOR | BURGAN, JOHN M. |
| 11467917 | Not Issued | 25 | 08/28/2006 | ALERT SLEEP AND WAKEUP FOR A MOBILE STATION | BURGAN, JOHN M. |
| 11467949 | Not Issued | 30 | 08/29/2006 | CONTROL OF TRANSMISSION POWER IN A COMMUNICATION DEVICE | BURGAN, JOHN M. |
| 11468057 | Not Issued | 25 - | 08/29/2006 | METHOD AND SYSTEM FOR SHARING AN AUDIO EXPERIENCE | BURGAN, JOHN M. |
| 11536698 | Not Issued | 25 | 09/29/2006 | PERSONALIZED VOICE MAIL ENDORSEMENTS | BURGAN, JOHN M. |
| 11536939 | Not Issued | 30 | 09/29/2006 | PRIORITY HANDOFF BASED ON BATTERY CHARGE LEVEL | BURGAN, JOHN M. |
| 11537204 | Not Issued | 30 | 09/29/2006 | METHOD AND SYSTEM FOR ASSOCIATING A USER PROFILE TO A SIM CARD | BURGAN, JOHN M. |
| 11537251 | Not Issued | 25 | 09/29/2006 | METHOD AND SYSTEM FOR ASSOCIATING A USER PROFILE TO A CALLER IDENTIFIER | BURGAN, JOHN M. |
| 11554804 | Not Issued | 25 | 10/31/2006 | METHOD AND SYSTEM FOR CALL REVERSE | BURGAN, JOHN M. |
| 11611055 | Not Issued | 25 | 12/14/2006 | DIVERSITY CONTROL OF MULTI-MODE COMMUNICATION DEVICES | BURGAN, JOHN M. |

Search and Display More Records.

| | Last Name | First Name | | |
|------------------------|-----------|------------|--------|--|
| Search Another: Invent | BURG | ЈОНИ | Search | |

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page



PALM INTRANET

Day: Tuesday Date: 6/26/2007

Time: 17:30:39

Inventor Name Search Result

Your Search was:

Last Name = DOYLE

First Name = MARK

| Application# | Patent# | Status | Date Filed | Title | Inventor Name | | |
|---------------|---------------|--------|------------|--|---------------|--|--|
| 06370334 | Not Issued | 161 | 09/27/1982 | CREDIT CARDS | DOYLE, MARK | | |
| 06690219 | 4707787 | 150 | 01/10/1985 | BEAM-ACTIVATED COMPLEX-SOLID FORMATION UTILIZING PATTERN-INDEPENDENT, COORDINATE-SEQUENCE CONSTRUCTION | DOYLE, MARK | | |
| 07409216 | Not Issued | 166 | 09/19/1989 | SPECULUM COVER | DOYLE, MARK | | |
| 07631173 | Not Issued | 166 | 12/18/1990 | SPECULUM COVER | DOYLE, MARK | | |
| 07728843 | 5163418 | 250 | 07/09/1991 | SPECULUM COVER | DOYLE, MARK | | |
| 09400533 | 6464909 | 150 | 09/21/1999 | MANIFOLD SYSTEM HAVING FLOW CONTROL | DOYLE, MARK | | |
| 09503832 | 6632079 | 150 | 02/15/2000 | DYNAMIC FEED CONTROL SYSTEM | DOYLE, MARK | | |
| 10006504 | Not Issued | 161 | 12/03/2001 | Curvilinear valve pin controller for injection molding | DOYLE, MARK | | |
| 10046344 | 6740099 | 150 | 10/19/2001 | SURGICAL TOOL FOR TRIMMING WIRE STRANDS | DOYLE, MARK | | |
| 10051322 | 7131980 | 150 | 01/18/2002 | SURGICAL SUTURING INSTRUMENT AND METHOD OF USE | DOYLE, MARK | | |
| 10175995 | 6824379 | 150 | 06/20/2002 | APPARATUS FOR UTILIZING AN ACTUATOR FOR FLOW CONTROL VALVE GATES | DOYLE, MARK | | |
| 10211016 · | 6805664 | 150 | 07/31/2002 | CLUTCH FOR STABILIZING AND ADJUSTING A PROBE IN LAPAROSCOPIC SURGERY | DOYLE, MARK | | |
| 10269927 | Not | 164 | 10/11/2002 | MANIFOLD SYSTEM HAVING | DOYLE, MARK | | |

| i · | Issued | | | FLOW CONTROL | |
|----------|---------------|-----|------------|--|-------------|
| 10328457 | 7029268 | 150 | 11 1 | NON-COAXIAL INJECTION MOLDING VALVE FLOW CONTROL | DOYLE, MARK |
| 10355505 | 6769896 | 150 | | MANIFOLD SYSTEM HAVING FLOW CONTROL | DOYLE, MARK |
| 10355514 | 6713002 | 150 | | MANIFOLD SYSTEM HAVING FLOW CONTROL | DOYLE, MARK |
| 10455881 | 7234929 | 150 | 06/06/2003 | INJECTION MOLDING FLOW CONTROL APPARATUS AND METHOD | DOYLE, MARK |
| 10529070 | Not Issued | 30 | 10/06/2005 | New system for controlling access to professional procedural information | DOYLE, MARK |
| 10701713 | Not Issued | 41 | 11/05/2003 | Rapid three-dimensional magnetic resonance angiography | DOYLE, MARK |
| 10798095 | Not Issued | 30 | 03/11/2004 | Wall and partition construction and method including a laterally adjustable flanged stud | DOYLE, MARK |
| 10848512 | Not Issued | 161 | 05/18/2004 | Surgical tool for trimming wire strands | DOYLE, MARK |
| 11070762 | Not Issued | 164 | 03/02/2005 | METHOD AND APPARATUS FOR DETECTING CARGO STATE IN A DELIVERY VEHICLE | DOYLE, MARK |
| 11351243 | Not Issued | 93 | 02/09/2006 | NON-COAXIAL INJECTION MOLDING VALVE FLOW CONTROL | DOYLE, MARK |
| 11715755 | Not Issued | 17 | 03/08/2007 | Single coil parallel imaging | DOYLE, MARK |
| 11757577 | Not Issued | 17 | 06/04/2007 | INJECTION MOLDING FLOW CONTROL APPARATUS AND METHOD | DOYLE, MARK |
| 11786685 | Not Issued | 17 | 04/11/2007 | Rapid MRI dynamic imaging using MACH | DOYLE, MARK |
| 29176864 | D495322 | 150 | 02/28/2003 | DRIVER INTERFACE UNIT (DIU) | DOYLE, MARK |
| 60092673 | Not Issued | 159 | 07/13/1998 | INJECTION MOLDING SIMULATION | DOYLE, MARK |
| 60124596 | Not Issued | 159 | 03/16/1999 | DYNAMIC FEED VALVE GATE | DOYLE, MARK |
| 60144583 | Not Issued | 159 | | UTILIZING DYNAMIC FEED IN CASCADE MOLDING | DOYLE, MARK |
| 60152714 | Not | 159 | 09/07/1999 | DYNISCO DYNAMIC FEED | DOYLE, MARK |

| | Issued | | | CONTROL SYSTEM OPEN- MOLD PURGE | |
|----------|-----------------|-----|------------|--|----------------|
| 60156925 | Not Issued | 159 | 09/28/1999 | DYNAMIC FEED CONTROL SYSTEM | DOYLE, MARK |
| 60212705 | Not Issued | 159 | 06/20/2000 | Apparatus and method for utilizing an actuator for flow control valve gates | DOYLE, MARK |
| 60242235 | Not Issued | 159 | 10/20/2000 | Surgical tool for trimming wire strands Surgical tool for trimming wire strands | DOYLE, MARK |
| 60250723 | Not Issued | 159 | | Curvilinear valve pin controller for injection molding | DOYLE, MARK |
| 60257274 | Not Issued | 159 | 12/21/2000 | Non-coaxial injection molding valve flow control | DOYLE, MARK |
| 60262588 | Not Issued | 159 | | Surgical suturing instrument and method of use | DOYLE, MARK |
| 60299697 | Not Issued | 159 | 06/20/2001 | Apparatus and method for utilizing an actuator for flow control valve gates | DOYLE, MARK |
| 60342119 | Not Issued | 159 | 12/26/2001 | Non-coaxial injection molding valve flow control | DOYLE, MARK |
| 60363883 | Not Issued | 159 | 03/14/2002 | System and method for enabling parallel operations and incorporating specific and group assignments in the peer review process | DOYLE, MARK |
| 60431923 | Not . Issued | 159 | | Injection molding flow control apparatus and method | DOYLE, MARK |
| 60766258 | Not Issued | 159 | 01/05/2006 | SNs | DOYLE, MARK |
| 10395499 | 7018778 | 150 | 03/24/2003 | SINGLE POLISILICON EMITTER BIPOLAR JUNCTION TRANSISTOR PROCESSING TECHNIQUE USING CUMULATIVE PHOTO RESIST APPLICATION AND PATTERNING | DOYLE, MARK A. |
| 11384669 | Not Issued | 30 | 03/20/2006 | Single polisilicon emitter bipolar junction transistor processing technique using cumulative photo resist application and patterning | DOYLE, MARK A. |
| 60369263 | Not Issued | 159 | 04/02/2002 | Single polisilicon emitter bipolar junction transistor processing technique using cumulative photo resist application and patterning | DOYLE, MARK A. |

| 06923611 | Not Issued | 161 | | COLLAPSABLE PORTABLE BOAT | DOYLE, MARK A. |
|----------|---------------|-----|------------|--|----------------|
| 09910482 | 6607475 | 150 | | HAND-ACTUATED ARTICULATING SURGICAL TOOL | DOYLE, MARK C. |
| 09927109 | 6745998 | 150 | 08/10/2001 | VALVED MALE LUER | DOYLE, MARK C. |
| 10251941 | Not Issued | 161 | | Devices and methods for delivery of medically appropriate fluids | DOYLE, MARK C. |
| 10388795 | Not Issued | 161 | | Hand-actuated articulating surgical tool | DOYLE, MARK C. |

Search and Display More Records.

| Coough Anothous Inventor | Last Nam | e | First | First Name | |
|--------------------------|----------|---|-------|------------|--------|
| Search Another: Inventor | DOYLE | | MARK | | Search |

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page